

Audion International



Audion Product Guide



Audion

International


Index

- Page 3 Audion Sterling EL34 & KT88 Range
- Page 5 Audion Silver Night 300B, PX25 & 2A3 Range
- Page 7 Audion Golden Night 300B, PX25 & 2A3
- Page 9 Audion Black Night 300B & PX25
- Page 10 Audion Elite 3 Box 845
- Page 11 Audion Premier Pre-amps, MM & MC Phono stages
- Page 12 Audion Quattro MC/Line stage silver pre-amp
- Page 13 Audion Electron & Proton Cables
- Page 14 Audion Kits
- Page 15 Audion Components
- Page 16 Where to buy Audion Products

Audion International
Chez Reynaud
Le Haut Mont, 17360
La Genetouze, France

Tel +33 546 04 32 82
Fax + 33 546 04 36 93

Email: info@audion.co.uk
Web : <http://www.audion.co.uk>



Audion
International

Sterling

Stereo EL34 & KT88

Parallel Single Ended

Push / Pull

Integrated (5 Channel Passive)

Hard-Wired or Circuit Board.

Hand built quality.

Features

Pure Class A Operation

Auto Self Biasing

Aluminium Uni Chassis

High quality components

Pentode Ultra-Linear

Point to Point hard- wiring

Ceramic valve bases

Large Output Transformers

Polypropylene Coupling Caps.

Large range of bespoke options.

ANNIVERSARY EDITION

To celebrate Audion's 20th Anniversary we are releasing limited edition amplifiers.

In new black aluminium Uni-Chassis, chrome highlights and superior audiophile quality components - look out for them!



"They've got to be one of the best, if not the best buy around." - Chris Beeching, Hi-Fi News

"Overall I was very impressed with the quality and construction at the price" - Haider Bahrani, Hi-Fi World

"Astonishing reproduction of timbre of certain instruments, like violins, pianos and guitars, sounds divine" - Audio, Portugal

Sterling Range - EL34 & KT88

The Sterling's are pure class A single ended, parallel single ended or push - pull valve amplifiers that use the very highly regarded EL34 or the more powerful KT88 and represent our entry level power and integrated power amplifiers.. All of our Sterling's produce a level of performance that is radically superior to current designs and have been specifically designed for sonic performance rather than technical specifications. That does not mean to say we make any compromises. Designed for the discerning listener on a budget. The Sterling range uses many proprietary Audion designed components.

We have two levels within this range, firstly the economy printed circuit board versions and secondly our Anniversary special hard wired, larger transformer and better component level versions

The Integrated stereo versions have 5 channel input and a tape output. All stereos are either 4 or 8 ohm outputs. All mono-blocks have both 4 and 8 ohm outputs.. All models come in the new look black and chrome chassis.

Since we started in 1987, We have stayed true to a simple guiding principle: open the doorway into the world of high-end audio without forcing our customers to sacrifice their home or bank balance.

The Sterling line was originally launched in 1987 & has exemplified the philosophy of good build quality, exceptional looks, and delicious tube sound at a price that the working man can afford. The EL34 and KT88's are built on the same chassis, the only external difference being the output tube.

Now in it's 5th incarnation the Sterling, goes from Strength to Strength. The design of these amps is executed with a large dose of sound engineering and common sense.



Audion

International

POWER OUTPUTS

EL34 Stereo - 12 Watts

KT88 Stereo - 18 Watts

KT88 PSE - 30 Watts

KT88 Push Pull - 45 Watts


All Stereos are 4 or 8 ohm

All Monos are 4 & 8 ohm

ZERO DOWNTIME

All Audion amplifiers use sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. If tubes are due for replacement, they can be simply inserted without any adjustments. Makes tube rolling easier too for enthusiasts.

Quality Both Inside And Out



As can be seen from the pictures to the left, Our hard wired amps follow our philosophy of keeping it simple. We believe that simplicity is the key to great sounding amplifiers.

The analogy of a piece of wire with gain is as close as we can get. By choosing carefully what goes into the signal line we can greatly influence what is added (or preferably not) to the final sound.

We place chosen high quality components with as little sonic personality as possible into our amps in order to achieve as close to realism sound replay as is possible.

All of our amps have a volume control to negate the need for a pre-amplifier, our integrated versions have a 5 channel passive pre-amp already built in to allow 5 line level sources to be switched and controlled. They even have a non attenuated output.

Certain amps are selected for their qualities. Our EL34 for example would be chosen as a good entry point into the world of high end. The KT88 push pull has a large power output and works well with more difficult loads. All amps are run at level 5, with fully upgradeable options to level 9, which would include, fully solid silver hard-wired design. Solid silver output transformers, input RCA's and binding posts, Blackgate power and cathode bias supply, exotic signal capacitors, like Teflon or silver foil etc. The list goes on.

Technical Specifications

- All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)
- On all amps-
Distortion at 1 watt is less than 0.1% with no feedback
- Dimensions with tubes and volume control are all :-
230mm Wide, 400mm deep and +/- 250mm tall
- Weight - Stereo 13kg , Mono's 11kg each
Fuse Rating : 2A Mains 500mA HT
- Input impedance 47K - Noise: < (CCIR) – 90 db
Sensitivity Variable >150mV Full output
Tubes used: EL34, KT88, 5687, 6922, 6N1P, E88CC

PRODUCTS AVAILABLE

[Power Amplifiers](#)

[Pre-Amplifiers](#)

[Phono Stages](#)

[Cables](#)

[Loudspeakers](#)

[Maintenance](#)

[Upgrade Support](#)

[Guarantee Warranty - 2 Years](#)

[Valve Warranty - 6 Months](#)

Your Audion is a Sound Investment



Audion
International

Silver Night

Stereo 300B, PX25 & 2A3

Parallel Single Ended

Push / Pull

Integrated (5 Channel Passive)

Hard-Wired or Circuit Board.

Hand built quality.

Features

Pure Class A Operation

Auto Self Biasing

Zero Feedback

Aluminium Uni Chassis

High quality components

Directly heated Triode

Point to Point hard- wiring

Ceramic valve bases

Larger Output Transformers

Polypropylene Coupling Caps.

Large range of bespoke options.

ANNIVERSARY EDITION

To celebrate Audion's 20th

Anniversary we are releasing

limited edition amplifiers.

In new black aluminium Uni-

Chassis, chrome highlights and

superior audiophile quality

components - look out for them!



"The Silver Night reproduces subtleties with a degree of finesse that eludes most amplifiers at this price" - Jason Kennedy, Hi-Fi Choice

"They've got to be one of the best, if not the best buy around." - Chris Beeching, Hi-Fi News

"Amplifier of the year." - Diapason D'Or, France

A-Rated; "These are truly extraordinary amplifiers." - Sam Tellig, Stereophile Magazine

Silver Night Range - 300B, PX25 & 2A3

The Silver Nights are pure class A single ended, parallel single ended or push - pull valve amplifiers that use the very highly regarded 300B directly heated triode valve or the esoteric PX25 or the exceptionally fine 2A3. All of our Silver Nights produce a level of performance that is radically superior to current designs. They have been specifically designed for sonic performance rather than technical specifications. That does not mean to say we make any compromises. Designed with the discerning listener in mind using many proprietary Audion designed components.

We have two levels within this range, firstly the economy printed circuit board versions and secondly our Anniversary special hard wired, larger transformer and better component level versions

The Integrated stereo versions have 5 channel input and a tape output. All stereos are either 4 or 8 ohm outputs. All mono-blocks have both 4 and 8 ohm outputs.. All models come in the new look black and chrome chassis.

Since we started in 1987, We have stayed true to a simple guiding principle: open the doorway into the world of high-end audio without forcing our customers to sacrifice their home or bank balance.

The Silver Night line was originally launched in 1993 & has exemplified the philosophy of good build quality, exceptional looks, and delicious tube sound at a price that the working man can afford. The PX-25 and 2A3's are built in the same chassis as the 300B's the only external difference being the output tube.

Now in it's 6th incantation the Silver Night, goes from Strength to Strength. The design of these amps is executed with a large dose of sound engineering and common sense.



POWER OUTPUTS

2A3 Stereo - 3 Watts

300B Stereo - 7 Watts

PX25 Stereo - 8 Watts

300B PSE - 18 Watts

PX25 PSE - 19.4 Watts

300B Push Pull - 24 Watts

PX25 Push Pull - 25 Watts


All Stereos are 4 or 8 ohm

All Monos are 4 & 8 ohm

ZERO DOWNTIME

All Audion amplifiers use sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. If tubes are due for replacement, they can be simply inserted without any adjustments. Makes tube rolling easier too for enthusiasts.

Quality Both Inside And Out



As can be seen from the pictures to the left, Our hard wired amps follow our philosophy of keeping it simple. We believe that simplicity is the key to great sounding amplifiers.

The analogy of a piece of wire with gain is as close as we can get. By choosing carefully what goes into the signal line we can greatly influence what is added (or preferably not) to the final sound.

We place chosen high quality components with as little sonic personality as possible into our amps in order to achieve as close to realism sound replay as is possible.

All of our amps have a volume control to negate the need for a pre-amplifier, our integrated versions have a 5 channel passive pre-amp already built in to allow 5 line level sources to be switched and controlled. They even have a non attenuated output.

Certain amps are selected for their qualities. Our 2A3 for example would be chosen for high efficiency loudspeakers over 95db as it has been designed with a very low noise floor. The 300B push pull has a large power output and works well with more difficult loads. All amps are run at level 5, with fully upgradeable options to level 9, which would include, fully solid silver hard-wired design. Solid silver output transformers, input RCA's and binding posts, Blackgate power and cathode bias supply, exotic signal capacitors, like Teflon or silver foil etc. The list goes

Technical Specifications

- All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)
- On all amps-
Distortion at 1 watt is less than 0.1% with no feedback
- Dimensions with tubes and volume control are all :-
230mm Wide, 400mm deep and +/- 250mm tall
- Weight - Stereo 15kg , Mono's 13kg each
Fuse Rating : 2A Mains 500mA HT
- Input impedance 47K - Noise: < (CCIR) – 90 db
Sensitivity Variable >150mV Full output
Tubes used: 300B, PX25, 2A3, 6922, 6N1P, E88CC

PRODUCTS AVAILABLE

[Power Amplifiers](#)

[Pre-Amplifiers](#)

[Phono Stages](#)

[Cables](#)

[Loudspeakers](#)

[Maintenance](#)

[Upgrade Support](#)

[Guarantee Warranty - 2 Years](#)

[Valve Warranty - 6 Months](#)

Your Audion is a Sound Investment



Audion
International

Golden Night

Self cancelling Single Ended
Hard-Wired with solid silver -
wiring in the audio circuit.
Hand built quality.

Features

Pure Class A Operation
Auto Self Biasing
Zero Feedback
Aluminium Uni Chassis
High quality components
Self Cancelling Single ended
Point to Point hard- wiring
Ceramic valve bases
Large Output Transformers
Polypropylene Coupling Caps.
Polypropylene Power supply
Large range of bespoke options.

ANNIVERSARY EDITION

To celebrate Audion's 20th
Anniversary we are releasing
limited edition amplifiers.
In new black aluminium Uni-
Chassis, chrome highlights and
superior audiophile quality
components - look out for them!



"One of the best amplifiers I have
reviewed for the past year. 10
Watts is enough to drive most of
the speakers on the market." - T.K.
Chen, Audiophile Hong Kong

"The Golden Nights will certainly
convey the magic and music of
every performance, and you will
enjoy music like you have never
before!" - Chris Beeching, Hi-Fi
News

Golden Night - 300B, PX25 & 2A3

The Golden Night is pure class A single ended mono block amplifier of self cancelling single ended design using the highly regarded 300B or the more powerful PX25 or now even the sonically superior 2A3. These amplifiers represent our mid range mono-block power amplifier. All of our Golden Nights produce a level of performance that is radically superior to current designs and have been specifically designed for sonic performance rather than technical specifications. That does not mean to say we make any compromises. Designed for the discerning listener the Golden Night range uses many proprietary Audion designed components.

The Golden Night has its entire audio path hard wired in pure silver, a massive polypropylene power supply capable of driving huge current demands and delivering a very satisfying performance. All Golden Nights are equipped with 4 and 8 ohm outputs or can be wired as 4 or 8 ohm outputs for bi-wiring. All models come in the new look black and chrome chassis.

Since we started in 1987, We have stayed true to a simple guiding principle: open the doorway into the world of high-end audio without forcing our customers to sacrifice their home or bank balance.

The Golden Night was originally launched in 1995 to explore the self cancelling single ended design & has exemplified the philosophy of good build quality, exceptional looks, and delicious tube sound. The Golden Night has weight in the bass, definition and agility; commendable out of a single 300B tube. Using proprietary circuitry the Golden Night never fails to impress.

The design of the Golden Night is executed with a large dose of sound engineering, finesse and technical expertise as well as a good measure of common sense.



Audion
International

POWER OUTPUTS

300B - 10 Watts

PX25 - 11 Watts

2A3 - 6 Watts

All Models are 4 & 8 ohm

ZERO DOWNTIME

All Audion amplifiers use sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. If tubes are due for replacement, they can be simply inserted without any adjustments. Makes tube rolling easier too for enthusiasts.

Quality Both Inside And Out



As can be seen from the pictures to the left, This is level 8 Golden Night that has had several upgrades. As the Golden Night is built to order, we can add all or none of the upgrades here at the factory. This particular one is wired entirely in solid silver, with Silver RCA input connectors and binding posts. Vishay dale stepped attenuators and V-cap Teflon coupling capacitors, overall - Fantastic!!

By choosing carefully what goes into the signal line we can greatly influence what is added (or preferably not) to the final sound.

We place chosen high quality components with as little sonic personality as possible into our amps in order to achieve as close to realism sound replay as is possible. All of our amps have a volume control to negate the need for a pre-amplifier.

Golden Night models are selected for their quality of sound, the "see through" character of the presentation and the deep and fast bass response combined with the timbre expected from a live performance give the Golden Night a true quality. With fully upgradeable options to level 9, which would include, fully solid silver hard-wired design. Solid silver output transformers, input RCA's and binding posts, Blackgate power and cathode bias supply, exotic signal capacitors, like Teflon or silver foil etc. similar to that shown above, the list is endless.

Technical Specifications

- All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)
- On all amps-
Distortion at 1 watt is less than 0.1% with no feedback
- Dimensions with tubes and volume control are all :-
230mm Wide, 400mm deep and +/- 250mm tall
- Weight - Each Amp 11kg
Fuse Rating : 2A Mains
500mA HT
- Input impedance 47K - Noise: < (CCIR) – 90 db
Sensitivity Variable >150mV Full output
Tubes used: 300B, PX25, 2A3,
CVX100 & CVX120

PRODUCTS AVAILABLE

Power Amplifiers

Pre-Amplifiers

Phono Stages

Cables

Loudspeakers

Maintenance

Upgrade Support

Guarantee Warranty - 2 Years

Valve Warranty - 6 Months

Your Audion is a Sound Investment



Black Night

Dual Mono-block design
Parallel Single Ended
Hard-Wired with solid silver -
wiring in the audio circuit.
Hand built quality.
5 Channel Integrated
Remote Control

Features

Pure Class A Operation
Auto Self Biasing
Zero Feedback
Aluminium Uni Chassis
High quality components
Point to Point hard- wiring
Ceramic valve bases
Large Output Transformers
Polypropylene Coupling Caps.
Large range of bespoke options.

Power Output

300B - 18 Watts

ZERO DOWNTIME

The Black Night uses sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. Makes tube rolling easier too for enthusiasts.



"It's a bit of a rebel"

Black Night - 300B & PX25

The Black Night is pure class A parallel single ended, dual mono design using the highly regarded 300B or the more powerful PX25. It is hand built & uses solid silver wire in the audio stage. The Black Night is our latest high power remote controlled integrated amplifier designed to deliver astounding reproduction and fidelity as well as speed and precision. The bass is extremely fast, tight, clean and very fluid due to its enormous polypropylene power supply. The mid band is extremely well controlled and the highs are crisp and open allowing the subtle nuances of music to shine through and be appreciated. The all new Black Night uses many proprietary Audion designed components.

The Black Night remote controlled Integrated has 5 channel input and a tape output. as well as both 4 and 8 ohm outputs..

The Black Night is derived from combining the power, speed and agility of our legendary Black Shadow along with the finesse and quality of our award winning Silver Night - together the Black Night offers a fusion of all.

Technical Specifications

All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)

On all amps-

Distortion at 1 watt is less than 0.1% with no feedback

Dimensions with tubes and volume control are all :-
490mm Wide, 430mm deep and +/-300mm tall

Weight - 22kg

Fuse Rating : 2A Mains
500mA HT

Input impedance 100K - Noise: < (CCIR) - 90 db
Sensitivity Variable >150mV Full output

Tubes used: 300B, PX25,
CVX100 & 6N1P



Elite 3 Box 845

Mono-block design
Parallel Single Ended
Hard-Wired with solid silver -
wiring in the audio circuit.
Hand built quality.
5 Channel Integrated
Remote Control

Features

Pure Class A Operation
Auto Self Biasing
Zero Feedback
Aluminium Uni Chassis
High quality components
Point to Point hard- wiring
Ceramic valve bases
Large Output Transformers
Polypropylene Coupling Caps.
Large range of bespoke options.

Power Output

845 - 25 Watts

ZERO DOWNTIME

The Elite uses sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. Makes tube rolling easier too for enthusiasts.



Elite - 3 box 845 Power Amplifier

The Elite 3 box 845 is pure class A single ended, mono-block design using the highly regarded 845 valve. It is hand built & uses solid silver wire in the audio stage. **The Elite 845 3 Box** power amplifier is an updated and upgraded version of the Legendary "Black Shadow". Whilst keeping the "Black Shadows" features of, speed, precision and phenomenal Bass extensions, the new Elite takes on a new appearance. In our unique anodised aluminium "Uni-Chassis™", the Elite has been designed to deliver pure Class A power (25 Watts RMS from a single 845 Tube). The Uni-Chassis™ permits the use of larger transformers and power supply capacitors than the previous "classic" versions. It also has the benefits of no magnetic interference, more robust construction, and larger internal volume for optimized placement and orientation of all circuit components, and optimized routing of all internal wiring, resulting in improved signal to noise ratio, channel separation and crosstalk, frequency response, and distortion over the previous "classic" versions.

Technical Specifications

All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)

On all amps-

Distortion at 1 watt is less than 0.1% with no feedback

Dimensions with tubes and volume control are all :-
230mm Wide, 400mm deep and +/- 280mm tall

Weight - Power Amps 10kg Power supply 8kg
Fuse Rating : 2A Mains 500mA HT

Input impedance 100K - Noise: < (CCIR) – 90 db
Sensitivity Variable >150mV Full output

Tubes used: 845, 6922, E182CC, 6N1P



Premier Pre-Amps

MC Step up
MM Phono stage
Line Level Pre-amp
Line/Phono Pre-amp
2 Box Line/Phono Pre-amp
Hand built quality

Features

Pure Class A Operation
Auto Self Biasing
Zero Feedback
Aluminium Uni Chassis
High quality components
Ceramic valve bases
Output Transformerless design
Polypropylene signal Caps.
Large range of bespoke options.

ZERO DOWNTIME

The Premier phono stages and pre-amps all use sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required. Once the tubes have been installed, the amps need to merely be turned on or off. Makes tube rolling easier too for enthusiasts.



"When I am listening to this pre-amplifier I am wondering how solid state could ever be popular." -
Olle Lender, Hi-Fi + Music

"This pre-amplifier performs equally as well as those costing 5 times the price."
- Roland Kraft, Hi-Fi exclusive

"Most interesting characteristics. warm sound, sheen, refinement and polished, correct timbre." - A. Moretti - Fidelity del Suono, Italy

Premier Pre amp Range

The Premier range of Phono stages, and pre-amps is pretty diverse. Starting with the very basic Premier Line level, 5 channel input 2 output and a straight through tape output, We have line / MM phono stage single and 2 box options as well as a stand-alone MM phono stage and a stand-alone MC hard wired step up (needs to be combined with an MM phono stage). All our pre-amps are directly cathode coupled - this means they are fast (no slowing down going through a transformer either inter-stage or coupling).

All our pre-amps are pure "Class A", hand built and for our MC step-up, hard wired using the same technology as our legendary Premier Quattro MC/Line level silver Pre-amp.

Our Anniversary special models come in the new look black and chrome chassis.

Technical Specifications

All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)

On all pre-amps-

Distortion at 1 watt is less than 0.1% with no feedback

Dimensions with tubes and volume control are all :-
230mm Wide, 420mm deep and +/-200mm tall

Weight - 7kg

Fuse Rating : 2A Mains 500mA HT

MC Input Impedance - 100R (MM 47K)

Input impedance 47K - Noise: < (CCIR) - 90 db

Sensitivity Variable >150mV Full output

Tubes used: 6922, E88CC or 6N1P-EV



Quattro 2 & 4 Box

Mono-block design

2 Box Line/MC Phono Pre-amp

Hand built quality

Hard-Wired with solid silver -

Hand built quality.

5 Channel Integrated

Features

Pure Class A Operation

Auto Self Biasing

Zero Feedback

Aluminium Uni Chassis

High quality components

Point to Point silver hard- wiring

Ceramic valve bases

Output Transformerless design

Polypropylene Coupling Caps.

Large range of bespoke options.

ZERO DOWNTIME

The Quattro uses sophisticated auto biasing so no voltmeters, screw drivers or user maintenance is ever required.

Once the tubes have been installed, the amps need to merely be turned on or off. Makes tube rolling easier too for enthusiasts.



"The Audion Quattro is the finest stock preamplifier ever made"

- Arthur Salvatore - 2007 & 2008

Premier Quattro 2 & 4 Box MC/Line

The Premier Quattro preamp is a two or four box preamp, totally hard wired using silver wire with specially selected components to make it one of the best sounding pre-amplifiers in current production in the world today!

The Quattro is available in our new design Uni-chassis', and includes an MC stage for even the most sensitive of cartridges. The Quattro is a high-end, high quality product capable of handling a massive array of sources. The Quattro has silver wire in the signal path, with specially selected and matched components including some tantalum resistors, etc etc. There are 4 line level inputs and an MC input, 2 outputs and a tape through loop, its hand built too!

The Audion Quattro is the finest stock preamplifier ever made. Its phono stage can accommodate any low output moving coils, and its line-stage is very simply designed to add nothing to its original source. It has the benefits of both simplicity of design and superb execution (with only 4 tubes in the entire signal path from the cartridge, a 4 chassis totally dual-mono construction and the power supplies use only polypropylene capacitors). There are 17 active power supply stages in the 2 box and 21 active supplies in the 4 box.

Our Anniversary special models come in the new look black and chrome chassis

Technical Specifications

All amplifiers are either 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)

On all pre-amps-

Distortion at 1 watt is less than 0.1% with no feedback

Dimensions with tubes and volume control are all :-
230mm Wide, 400mm deep and +/- 200mm tall

Weight - Pre Amps 7kg Power supply 8kg

Fuse Rating : 2A Mains 500mA HT

MC input impedance - 100R

Input impedance 47K - Noise: < (CCIR) - 90 db

Sensitivity Variable >150mV Full output

Output impedance - 47K

Tubes used: 6922, E88CC or 6N1P-EV



Audion
International

Electron Range

Interconnect
Power cords
Loudspeaker cable
Complex metallurgical structure
Very low loss
Complex dielectric used
Hand built quality


Proton Range

Interconnect
Power cords
Loudspeaker cable
Complex metallurgical structure
Very low loss
Complex dielectric used

Cable Control

Advanced cable geometry
Advanced shielding technology
Partially pre burnt-in.
Clean, clear, outstanding -
performance
Colourless reproduction

Out performs many other of our
respected competitors cables



Electron & Proton Cable Range

Cable Specifications

The Electron & Proton cables are hand built, requiring about 8 hours of skilled crafting for mounting and assembly. The Electron range cables are constructed from a highly complex proprietary molecular structure of 6 alloys and three dielectrics

Both ranges provide extremely good signal to noise rejection. They provide a very stable image, and are designed to complement the speed, tonal presence, transparency and dimensionality of our amplifiers. Our cables are very good at rejecting stray RF interference.

With over 15 years of metallurgical examination, research and development of cable properties and construction techniques, we know that our current combination of alloys and complex manufacturing processes gives you the opportunity to own one of the finest cables available to the market today.

Ideally designed to match with our amplifiers and pre-amplifiers, our cable range provides a turnkey solution to matching and sonic excellence.

We can make cables for almost any connection you require.

Once again, your Audion cable is a sound investment

All interconnects available in lengths from 50 cm to 10 meters in 50cm variations

All loudspeaker cables are available from 50cm upwards with free banana ends fitted.

All power cords can be made with any plug variation you require. Standard length is 1.5m

Other Cables can be made to order.

Contact us for more info if required.

All cables are hand built from complex alloys and designed to impart as little characteristics of their own into the music as possible.



Audion

International

Edison Kit Range

Edison 60 standard kit

Edison 60 plus kit

Upgrades

Mains Transformer

Stainless steel top plate

Alps volume pot

Gold plated binding posts

Gold plated RCA sockets

Sorbathane anti vibration feet

Film/foil signal caps

Copper foil in oil signal caps

V-caps teflon /foil signal caps

Silver foil in oil signal caps

Sterling silver solid wire

Gold / Black volume knob

Silver Contact switches

Vishay dale stepped Attenuator

Silver solder

Building services

We are able to offer a partial or even full build on these kits.

From a single board built and tested to complete modules built and tested.

Out performs many other of our competitors kits.



Edison Kit home build Range

The Edison kits are an excellent entry point into the world of valve amplification. Since its launch the Edison 60 kit has been a best seller creating a world wide following with all who have purchased it.

As a core product the Edison 60 can perform many roles in a broad system, and has enough power for today's varied sources not only for hi-fi but to be a part of any home entertainment system.

To top that, it can be configured in either Push-Pull or Single-Ended mode with enough power for any purist with speakers of 88dB efficiency and higher.

The entry model is competitively priced to help you along. Although technically complete, it can be upgraded with additional components to improve the product inevitably outperforming retail products costing many times more! The kit is complete, having everything you need to build it right down to the last nut. The plus kit has an extra mains transformer, to assist smoothing and a chrome plated top plate to add a touch of luxury.

Our kits are supplied complete with everything you need to build a quality amplifier. Chassis, transformers, circuit boards, components, wire, hardware - its all there. All you need is a soldering iron, solder and some basic tools.

All kits are supplied with the latest user manual and circuit diagram and online email support where needed. If you are not overly confident with a soldering iron we can even factory build some or all of your kit for you.

Technical Specifications

All kits can be configured for 100V, 110V, 120V, 220V 230V or 240V ac. input (changeable internally)

Power output - Push-Pull - 2x30 Watts pure Class-A" into 8Ω @ 1khz

Power output - Single-Ended- 2x18 Watts Class-A into 8Ω @ 1khz

Distortion - 1 watt @ 1khz <0.035% in Push-Pull Mode

Power consumption - 210 watts (230 volts ac)

Input sensitivity - 250mV for full output (Push-Pull)

Output tapings - 4Ω, or 8Ω ohms

Signal to Noise ratio - >98dB (Push-Pull)

Weight - 18Kg

Overall dimensions - 45 x 36 x 11.5cm

Fuse Rating : 2A Mains 500mA HT

Input impedance 47K - Noise: < (CCIR) - 90 db

Sensitivity Variable >150mV Full output

Output transformer - Multitap with special winding technique to obtain full bass response even in Single-Ended mode.



Audion
International

Upgrade Products

ALPS
AMPOHM
APEM
AUDION
ARCO
BLACKGATE
CLARITY CAPS
DACT
ELECTRO-HARMONIX
GOLDEN DRAGON
GOLDPOINT
HOLCO
JJ ELECTRONICS
MUNDORF
NEUTRIK
NICHICON
NOBLE
RAYCHEM TEFLON TUBES
SCR - SOLEN
SOVTEK
SVETLANA
TESLA
TRUOHM
V-CAP
VISHAY DALE
WBT

Other Products and upgrades



Audio Output Transformers



Mains Toroids



Chokes



Winding wire & transformer components



Alps Blue Velvet pots



Alps stepped attenuator



Vishay stepped attenuator



Goldpoint stepped attenuator



Switches



Tantalum resistors



Solen & SCR film/Teflon capacitors



V-Caps



Silver foil in oil capacitors



9 pin tube bases - chassis & pcb mount



Octal valve bases



UX4 valve bases inc. lozenge



Valves - EL34, KT88, KT90, 300B, 2A3, etc



Valves - EL34, KT88, KT90, 300B, 2A3, etc



Gold & Silver RCA sockets



Silver plated Binding posts



Covered binding posts and WBT gold and heavy silver binding post



Covered binding posts and WBT gold and heavy silver binding post



Covered binding posts and WBT gold and heavy silver binding post



Covered binding posts and WBT gold and heavy silver binding post



Covered binding posts and WBT gold and heavy silver binding post



5 way solder tag strips



20 way solder tag strips



Tag boards



4.7% high purity silver solder

We are able to offer an exotic range of upgrade components from some of the best known names in the audiophile industry. Many of the items are specific to Audion. If you don't see it here, ask us, we either have it or will try and can get it for you.

Just ask for prices or your component needs